



3 1761 05289208 0

Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation



(19)

229

ILLUSTRATIONS
OF
BRITISH FUNGI.

ILLUSTRATIONS

OF

BRITISH FUNGI

(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

President of the Quekett Microscopical Club, and of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine, and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists Society; the Essex Field Club; and other Societies.

VOL. II.

London :

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1881-1883.

137422
61116

QK .

607


C67

V.2





AGARICUS CUTOCYBEA TUMULOSUS. KILL
in woods near Herford.
Sept. 1844.





opaque.




M.C.C.

AGARICUS (CLITOCYBE) OPACUS. *With.*
in woods. rare.









AGARICUS (CLITOCYBE.) GIGANTEUS. Sow.
in woods. Colwyn 1880.





pl 135-


"Cl. maxima pl 135 I have
no reason to think Cl.
geobryum, as suggested.
I fully believe it is not."



Stem 6-8 inches long.

odour strong.

AGARICUS (CLITOCYBE.) MAXIMUS. Fries.
in woods. Killarney. Oct. 1881.








AGARICUS (CLITOCYBE.) INFUNDIBULIFORMIS. Schaff.
in woods. Aug. & Sept.






strong meaty odour


W.P.

AGARICUS (*CLITOCYBE*) *INCILIS* Fries.
In woods. Kings Lynn, Nov. 1881.

M.C.C.

AGARICUS (*CLITOCYBE*) *PARILIS* Fries.
By the side of plantations, Somerset.










AGARICUS (CLITOCYBE.) GEOTROPUS. Bull
in words.



pl 177

"Ch. spinulosus. Stevenson
is pl 177 called Ag. sub
involutus, which latter
is not."




W.G.S.

AGARICUS (OLITOCYBE) GEOTROPUS Bull.

var SUBINVOLUTUS. Smith.


amongst grass by roadsides.










AGARICUS CUTOCYBE SUB-INVOLUTUS B. & S.
in woods. Buckinghamshire.











AGARICUS (CLITOCYBE) GILVUS. Pers.
in mountain woods.









AGARICUS (CLITOCYBE) SPLENDENS Fr. s.
amongst dead leaves. Neasden Sept. 1881.






pl 84


"*Cl. inversus* pl 84 & not
C. flaccidus, if they are
really specifically dis-
tinct"




M.C.C

AGARICUS (*GLITOCYBE*) *FLACCIDUS*, Sow.
amongst leaves. Kew 1880.










usually caespitose

AGARICUS (*CLITOCYBE*) FLACCIDUS. Fries.
Amongst leaves. Dinedor 1881.










AGARICUS (CLITOCYBE.) LOBATUS. *Sow.*
on a bank. Highgate. Jan. 8. 1893.






pl 110


"Clitocybe serilis pl 100
seems to be different. I
disagree with Berkeley
calling this any form of
Cl. serilis Fr."


* ? 110 is meant (H.M.W.)



AGARICUS (CLITOCYBE.) SENILIS. Fries. (variety)
on lawn. Coed Coch 1880.










AGARICUS (CLITOCYBE) CATINUS. Frues.
amongst dead leaves. near Ludlow 1881.





shining white.*farnaceus*







M.C.C.

Shining, dry.


AGARICUS (COLLYBIA) ERICETORUM. *Rull.*
amongst short grass. • *Loughton.* Nov. 1881.








AGARICUS (CLITOCYBE.) CYATHIFORMIS. Fr.
in woods. near Hereford. October 1881.












AGARICUS (CLITOCYBE.) EXPALLENS Pers.
in mixed woods. Glamis.








AGARICUS (*CLITOCYBE*.) OBBATUS. *Fries.*
in *Fir woods.* *Ascot.*





pl 231


"Pl 231 does not show well the pruinose appearance of the pileus — colour more distinctly grey. In these plates the greys seem to have a tendency to grow brownish, & the browns darker, with age".

Hygrophanous.



M.C.C.


AGARICUS (CLITOCYBE.) PRUINOSA Fries.
on rotten wood, and on the ground. Kew. Nov. Dec. 1882.









AGARICUS (CLITOCYBE.) BRUMALIS. Fries.
in fir woods. Dinedor 1871. Black Park 1881.










AGARICUS CLITOCYBE METACHROUS. Fries.
amongst pine-leaves. Brook Park 1861.






172





M.C.C.

strong mealy odour

AGARICUS (CLITOCYBE.) DITOPUS. Fries.
amongst dead leaves. Moccas Park 1881.











M.C.C.

Inodorous

AGARICUS (CLITOCYBE) DIATRETUS Fries.
in pine woods. Good Coch.









174




fragrant


AGARICUS (CLITOCYBE) FRAGRANS. Sow.
Amongst moss. Denmark. Oct. 1880.





AGARICUS (CLITOCYBE) ANGUSTISSIMUS Lasch.
Amongst leaves. Coed Coch Oct. 1880.





176

Hygrophanous

Watford


Kew Gardens


Chingford

M.C.C.

faintly fragrant

AGARICUS (CLITOCYBE) OBSOLETUS. Batsch.
amongst grass and leaves. Oct. Nov. 1842.








M.C.C

AGARICUS (OLITOCYBE) ECTYPUS. Frus.
In damp places. Killarney. Dec. 1861.






M. J. B.

f. v. d. l.

AGARICUS (CLITOCYBE) BELLUS. Fries.
in fir woods.







179



M.C.C.


AGARICUS (CLITOCYBE.) LACCATUS. Scop.
in woods &c. Common everywhere.






pl 127

"Ag Sadleri pl 127 is only
sterile form of *Hypophoma*
fasciculare"




Acrid and bitter

AGARICUS (CLITOCYBE.) SADLERI. Berk.
in store. Beacon Gardens, Edinburgh.







AGARICUS (COLLYBIA.) RADICATUS. Relh.
on the ground. July to September.




Pileus and stem velvety.



M.C.C.


AGARICUS (COLLYBIA) LONGIPES. Bull.
in woods. Leigh Wood, Bristol.







AGARICUS (COLLYBIA) PLATYPHYLLUS. *Fr.*
On the ground, near wet grass &c. Kew.







M.C.C.

AGARICUS (COLLYBIA) SEMITALIS Fries


By waysides after much rain. Oct. 1862.







AGARICUS (COLLYBIA.) FUSIPES. Bull.
on stumps. Highgate.





AGARICUS (COLLYBIA.) MACULATUS. A. & S.
in moist pine woods. &c.






M.C.C.

gills eroded, immaculate

AGARICUS (COLLYBIA) MACULATUS A. & S. var. IMMACULATUS
on the ground. Black Park, Langley 1879.



Odour strong.


W.G.S.


AGARICUS (COLLYBIA) DISTORTUS *Fries.*
on Trunks. Coed Coch. 1871.





AGARICUS (COLLYBIA) BUTYRACEUS. *Bull.*
in woods. *Common.*





gregarious

AGARICUS (COLLYBIA.) XYLOPHILUS. Fries.
about old stumps. Black Park, Langle; Sept. 1882.









A



A



B



A.-AGARICUS (COLLYBIA.) VELUTIPES. Curt.
on trunks. Common.

B.-AGARICUS (COLLYBIA.) LAXIPES. Fries.





x 400.

x 700.

AGARICUS (CHELYBIA) MIMICUS. Sacc.
Umbrinipes. (Saccardo, Nov. 1872.


W. G. S



AGARICUS (COLLYBIA.) VERTIRUGIS. Cooke.
on Fern roots.



AGARICUS (COLLYBIA.) STIPITARIUS. Fries.
on stems and roots of grass.








AGARICUS (COLLYBIA.) HARIOLORUM. Bull.
amongst dead leaves.



M. J. B.

AGARICUS (COLLYBIA.) CONFLUENS. Pers.
in woods.






odour unpleasant

W.G.S.

AGARICUS (COLLYBIA) INGRATUS Schum.*In pine woods. Largo, Fifeshire, 1872.*






M.J.B.



HGB

AGARICUS (COLLYBIA) CONIGENUS. Pers.
on fir wood. October.





pl 144

"Coll. cirsata is without
sclerotium, the whole of the
figures on the plate belong
therefore to Coll. tuberosus"


A.



H.G.B.


AGARICUS (COLLYBIA.) TUBEROSUS. Bull.
on decayed Russula.

B.




H.G.B.

AGARICUS (COLLYBIA.) CIRRHATUS. Schum.
on the ground. Belmont. Nov. 1872.






AGARICUS (COLLYBIA.) COLLINUS. Scop.
on grassy slopes.











A.—*AGARICUS (COLLYBIA) VENTRICOSUS*. Bull.
in woods. Coed Coch 1873.

B.—*AGARICUS (COLLYBIA) STEWARTSONI*. B. & Br.
on the ground. Glamis. Aug. 1874.






slightly viscid.

AGARICUS (COLLYBIA) PSATHYROIDES. Cke.
on the ground. Epping Forest, Oct., 1880.










M.C.C.

AGARICUS (COLLYBIA.) XANTHOPUS. Fries.
amongst dead leaves. Oct. 1882.







AGARICUS (COLLYBIA) NITELLINUS. Fries.

variety—with crowded gills.

Beside the road in a wood. Neatishead 1881.





AGARICUS (COLLYBIA.) SUCCINEUS. Fries.
in grassy places. Dnedor. Dec. 1872.



AGARICUS (COLLYBIA.) NUMMULARIUS. Lam.
amongst leaves, twigs &c.











AGARICUS (COLLYBIA.) ESCULENTUS. *Wulf.*
in pine woods. *Spring.*



AGARICUS (COLLYBIA.) TENACELLUS *Pers.*
B - variety STOLONIFER
in woods. *Autumn.*




pl 267

" I have never seen this
species, & doubt pl 267, wh
was sent me by Berkeley



AGARICUS (*UOLYSIA*) ACERVATUS *Fries.*
on stumps. Sept. 1932.










M.C.C.

AGARICUS (COLLYBIA.) DRYOPHILUS Fr.
in grassy places. Kew Gardens 1852.




Hygrophanous



M.C.C.

AGARICUS (COLLYBIA.) AQUOSUS. Bull.
amongst moss. Pleasure grounds, Kew.





AGARICUS (COLLYBIA) EXSCULPTUS Fries.

on trunks and on the ground. June.





M.C.C

AGARICUS (COLLYBIA) MACILENTUS Fries

in pine mounds. Constance, N.B.









4

M.F.B.

AGARICUS (COLLYBIA.) CLAVUS. Linn.
on twigs, leaves &c.



2


AGARICUS (COLLYBIA.) OCELLATUS. Fries.
in grassy places.



4

M.C.C.

AGARICUS (COLLYBIA.) MUSCIGENUS. Schum.
on ground, amongst moss and grass. Kew. Aug. 1881.









M.C.C.


strong scented.

AGARICUS (COLLYBIA.) RANCIDUS. Fries.
in woods, about trunks; near Hereford.



strong scented.

AGARICUS (COLLYBIA.) CORACINUS. Fries.
in grassy places, in woods.





odour faint.


AGARICUS (COLLYBIA) INOLENS. *Fries.*
in pine woods.



H.G.B.

inodorous.

AGARICUS (COLLYBIA) PLEXIPES *Fries.*
in beech woods. *Dunmore. Sept. 1874.*








AGARICUS (COLLYBIA.) ATRATUS. Fries.
on charred ground. Dinmore. Nov. 1870.




M.C.C.

rancid.

AGARICUS (COLLYBIA.) AMBUSTUS. Fries.
on scorched places. Ken gardens. 1881.








M.C.C.

AGARICUS (COLLYBIA) LACERATUS Lorch
on the ground. Epping Forest, 1890





AGARICUS (COLLYBIA) PROTRACTUS. Fries.
amongst dead leaves. Kew Gardens.



M.C.C

AGARICUS (COLLYBIA) TESQUORUM. Fries.
on decaying bark. Do. t






AGARICUS (COLLYBIA) TYLICOLOR Fries.
in shady woods, amongst grass



M.C.C

AGARICUS (COLLYBIA) CLUSILIS Fries.
amongst moss. Wood





1.-AGARICUS (*MYCENA*.) PELIANTHINUS. *Fries.*
in beech and oak woods.

2.-AGARICUS (*MYCENA*.) BALANINUS. *Berk*
amongst beech mast. *Hereford 1876.*






AGARICUS (MYCENA) ELEGANS Pers.


in fir woods.



AGARICUS (MYCENA) RUBRO-MARGINATUS Fries.

on rotten twigs &c.






A




AGARICUS (MYCENA.) STROBILINUS. Fries.

B




var COCCINEUS. Sacc.

C




H.G.B.

AGARICUS (MYCENA.) ROSELLUS. Fries.
in pine woods. Dredor 1872.








M.C.C.

AGARICUS (MYCENA.) PURUS. Pers.
Common in woods.









AGARICUS (MYCENA.) PSEUDOPURUS. Cooke.
amongst grass in woods. Coed Coch 1880.



M.C.C.

AGARICUS (MYCENA.) ZEPHIRUS. Fries.
amongst pine leaves.






AGARICUS (MYCENA.) ADONIS Bull.
amongst grass and moss.



M.C.C.

AGARICUS (MYCENA.) LINEATUS Bull.
amongst dead leaves &c.





M. J. B.

AGARICUS (MYCENA.) LUTEO-ALBUS. Bolt.
amongst mosses.

Lamellae distant.



H. G. B.


AGARICUS (MYCENA.) FLAVO-ALBUS. Fr.
under Scotch firs.



M. J. B.


AGARICUS (MYCENA.) LACTEUS. Pers.
in fir woods.

Lamellae crowded.





AGARICUS (MYCENA.) PROLIFERUS Fries.
on rotten wood. Scotland.







pl 148

"*Myrcena excisa*, is a rather small species. I very much doubt pl 148 being any form of *M. excisa*, or any other known species. I should call it *M. Berkeleyi* or *superba*"



AGARICUS (MYCENA.) EXCISUS. Lasch.
on trunks or on the ground.







AGARICUS (*MYCENA*.) *PSAMMICOLA* B. & Br.
sandy banks amongst moss.



AGARICUS (*MYCENA*.) *RUGOSUS* Fr.
on trunks & stumps




pileus viscid



M.C.C.


AGARICUS (MYCENA.) SUDORUS. Fries.
on old stumps. Haywood Forest. Oct. 1882.







AGARICUS (MYCENA) GALERICULATUS. Fries. B. Terrestrial Variety
on stumps and on the ground. Common.









AGARICUS GALERICULATUS Fr.


var. *CALOPUS*, Fr.


on stumps. Hayward Forest. Oct. 1882.

M.C.C.

AGARICUS (MYCENA) POLYGRAMMUS. Bull.

on stumps. Epping.








AGARICUS (MYCENA.) PARABOLICUS. Fries.
on stumps. Edinburgh.




M.C.C.

viscid

AGARICUS (MYCENA.) TINTINABULUM Fries.
on Beech trunks & stumps. Epping Forest.







Strong scented





AGARICUS (*MYCENA*) DISSILIENS *Fries.*
on the ground and on stumps. *Kew Gardens.*



M.C.C.

AGARICUS (*MYCENA*) PLICATUS *Fries*
on the ground. *Killin N.B.*





M. J. B.



sweet scented



J. B.

AGARICUS (MYCENA) PAUPERCULUS. Berk.

on fallen branches.




R. E. B.

M. C. C.

AGARICUS (MYCENA) ATRO-CYANEUS Berk.


amongst fir leaves. G. C. N. S.





M.C.C.

AGARICUS (MYCENA.) PULLATUS. Berk & Cooke.
on the ground. Chingford. Oct. 1882.





odour nitrous


AGARICUS (MYCENA) LEPTOCEPHALUS Pers.
on trunks.



H.G.B.

strong scented.

AGARICUS (MYCENA) ALCALINUS Fries.
on stumps. Hereford 1863.






odour strong

M.C.C.

M.J.B.

AGARICUS (MYCENA.) ALCALINUS. Fries.
on stumps. Hayward Forest, and King's Cliffe.



strong scented

R.E.B

AGARICUS (MYCENA) AMMONIACUS. Fries.
on the ground.





R.E.B


strong scented

M.C.C.

AGARICUS (MYCENA.) METATUS. Fries.
on the ground. Chingford, Essex.











M.C.C.

AGARICUS (MYCENA.) ÆTITES Fries.
amongst moss and grass.



AGARICUS (MYCENA.) STANNEUS Fries.
amongst grass.







AGARICUS (MYCENA) VITREUS. *Pries.*
in moist fir woods.



H.G.B.

AGARICUS (MYCENA) TENUIS. *Bolton*
in moist shady places, Sept. 1863.




AGARICUS (MYCENA) FILOPES. Bull.
amongst dead leaves.



M. J. B.

AGARICUS (MYCENA) IRIS Berk.
on pine chips.





M.C.C.

AGARICUS (MYCENA) AMICTUS Fries.
Amongst moss &c. Chingford Essex.





AGARICUS (MYCENA.) DEBILIS Fr.
amongst moss.

AGARICUS (MYCENA.) VITILIS Fr.
amongst leaves.



AGARICUS (MYCENA.) COLLARIATUS Fries.
amongst grass in woods.




AGARICUS (MYCENA.) SPEIREUS Fries.
on mossy trunks. Glamis.



AGARICUS (MYCENA.) TENELLUS Fries.
on old trunks. Caen Wood.



AGARICUS (MYCENA.) ACICULA Schæff.
amongst dead leaves.







AGARICUS (MYCENA) HAEMATOPUS. Pers.
on Fir stumps. Scarborough

B



AGARICUS (MYCENA) CRUENTUS Frés.
in fir woods, on cones &c.







1.-AGARICUS (MYCENA.) SANGUINOLENTUS. Fr.
amongst dead leaves.

2.-AGARICUS (MYCENA) CROCATUS. Schrad.
amongst dead leaves.



milk yellow

milk white

after Sowerby


A


M. J. B.

AGARICUS (MYCENA.) CHELIDONIUS Fr.
on beech trunks.

M. C. C.

AGARICUS (MYCENA.) GALOPUS Fries.
on mossy ground. Near B. S. pt. 1831.





stem viscid





AGARICUS (MYCENA.) EPIPTERYGIUS Scop.
amongst grass &c. Epping.

stem viscid



AGARICUS (MYCENA.) CLAVICULARIS Fr.
amongst grass. Chingford, Oct. 1882.







C.E.B.

AGARICUS (*MYCENA*) *PELLICULOSUS* Fries.
on the ground in heathy places.




M.J.B.

H.G.B.

AGARICUS (*MYCENA*) *VULGARIS* Fries.
Dinedor. Sept. 1875.





stem viscid



AGARICUS (*MYCENA*) CITRINELLUS Pers.
in pine woods.




AGARICUS (*MYCENA*) PLICATO-ORENATUS Fries.
amongst moss in larch woods.



M. J. B.

stem glutinous.

AGARICUS (*MYCENA*) ROBICUS Fries.
amongst moss in larch woods.




A



AGARICUS (MYCENA) STYLOBATES Pers.
on chips &c.


B



M.J.B.


AGARICUS (MYCENA) TENERRIMUS Berk.
on pine cones, chips &c.


C




M.C.C.

AGARICUS (MYCENA) ELECTUS Berk.
on wood, etc.









x 3

x 400.

W.P.

x 5

b.


AGARICUS (MYCENA.) SACCHARIFERUS B. & Br.
on bramble stems &c.



x 8

x 5

AGARICUS (MYCENA.) DISCOPUS Lev.
on twigs, &c.





x 8

x 5

M.C.C.

AGARICUS (MYCENA.) PTERIGENUS Fries.
on petioles, stems &c.










M.F.B.

AGARICUS (MYCENA.) CORTICOLA. Schum.
on bark of trees. Autumn.




H.G.B.

AGARICUS (MYCENA.) HIEMALIS. Osb.
on bark, twigs, &c. Dinedor. Dec. 1871.




1.



x5


AGARICUS (MYCENA.) SETOSUS Sow.
on beech leaves.

2.




AGARICUS (MYCENA.) CAPILLARIS Schum.
on dead leaves.


3.



x5


AGARICUS MYCENA. JUNCICOLA Fries.
on Twigs &c.








Hydrogrammus.



AGARICUS (OMPHALIA.) HYDROGRAMMUS. Fries.
amongst dead leaves, Pleasure grounds, Kew.





M.C.C.


AGARICUS (DMPHALIA) MAURUS. Fries.


on lawns and in moist places. Colled Coch.


W.P.

AGARICUS (DMPHALIA) EFFLUVIATUS Fries.

Under trees, etc. Colled Coch.










H.G.B.


AGARICUS (OMPHALIA.) POSTII. *Fries.*
on charcoal beds. Downton. Sept. 1874.



H.G.B. & M.Y.B.

AGARICUS (OMPHALIA.) PYXIDATUS *Bull.*
Merryhill common. Nov. 1871.










AGARICUS (OMPHALIA) LEUCOPHYLLUS Fries.


in moist woods.



AGARICUS (OMPHALIA) STRIÆPILEUS Fries.

in grassy places.








G.M.

AGARICUS (OMPHALIA.) TELMATÆUS Berk & Cooke.
 (=Ag. affricatus. Berk) amongst Sphagnum. Scarborough




M.J.B.





AGARICUS (OMPHALIA) SPHAGNICOLA Berk.
amongst Sphagnum.


M.C.C



AGARICUS (OMPHALIA, PHILONOTIS Lusch.
In swampy places in fir woods.










AGARICUS (OMPHALIA) ONISCUS. Fries.

Ascot.



AGARICUS (OMPHALIA) CAESPITOSUS. Bolton.
on sloping banks. Kings Lynn. Oct. 1882.





AGARICUS (OMPHALIA) DEMISSUS Fries.
margin of banks. Wychiffe woods. 1882.





AGARICUS (OMPHALIA) HEPATICUS Batsch.
by the side of paths in woods





M.C.C.

AGARICUS (OMPHALIA) MURALIS Sow.
in deep banks, near trees.







M.C.C.

PALLIDUS



W.P.

VIRIDIS




M.C.C.


FLAVUS

AGARICUS (UMPHALIA) UMBELLIFERUS. Fries.






A



AGARICUS (OMPHALIA) BUCCINALIS. *Sow.*
on twigs, stems, &c.

B



AGARICUS (OMPHALIA) RETOSTUS. *Fries.*
amongst dead leaves.

C





AGARICUS (OMPHALIA) ABHORRENS. *B. & Br.*

Fruct. N. Y. 1842. Bull. N. Y. 1842

M.C.C.

very fetid





M.C.C.

AGARICUS (OMPHALIA) PSEUDO-ANDROSACEUS Bull.
amongst moss &c. Watford. Nov. 1852.



M.C.C.


AGARICUS (OMPHALIA) GRISEO-PALLIDUS. Fr.
on the ground King's Lynn.



X4

H.G.B.

AGARICUS (OMPHALIA) STELLATUS. Sow.
near Hereford. Nov 1872.





AGARICUS (OMPHALIA) CAMPANELLA Batsch.
in fir woods. Ascot.



H.G.B.

006 X 003 m m


AGARICUS (OMPHALIA) CAMPANELLA var *BADIPUS* Fr.
on the ground near Hereford.



M.C.C.

AGARICUS (OMPHALIA) PICTUS Fr.
on fir, Oct. 1881. Ascot. Batsch.








M. J. B.

AGARICUS (OMPHALIA) CAMPTOPHYLLUS Berk.
on chips.




M. C. C.

AGARICUS (OMPHALIA) GRUBEUS Berk.
on chips.











AGARICUS (OMPHALIA) UMBRATILIS Fries
Coed Coch.




var SWARTZII

AGARICUS (OMPHALIA) FIBULA. Bull.
amongst grass, in meadows, &c.








Pileus mealy.

X5

W.G.S.


AGARICUS (OMPHALIA) DIRECTUS B & Br.
on dead leaves.



X2

M.J.B.

AGARICUS (OMPHALIA) DIRECTUS B & Br.
on dead leaves.








AGARICUS (OMPHALIA) GRACILLIMUS Weinm.

on herbaceous stems



AGARICUS (OMPHALIA) BULLULA Brig.

on twigs. Coed Coch.





M. J. B.

AGARICUS (OMPHALIA) INTEGRELUS Pers.

on grass, twigs, rotten wood &c.












M.C.C.

AGARICUS (PLEUROTUS) CORTICATUS Fries.
on old Trunks. Epping Forest.











M.F.B.


M.C.C.

AGARICUS (PLEURÔTUS.) DRYINUS. Pers.
on oak trunks.













AGARICUS (PLEUROTUS) SPONGIOSUS Fries.
on stumps. Loughton, Essex. Nov. 1879.










AGARICUS (PLEUROTUS.) ULMARIUS Fries.
on elm trunks.









AGARICUS (PLEUROTUS) TESSULATUS Bull.
on trunks. St. James' Park.





AGARICUS (PLEUROTUS) SUBPALMATUS Fries.
on Oak trunk. Morchampton 1875.











AGARICUS (F. & S.) CRISPEDUS F. & S.
 (F. & S. A. 1000)








1.-*AGARICUS (PLEUROTUS.) FIMBRIATUS.* Bolton.
on trunks. East Bergholt. Jan. 1852

2.-*AGARICUS (PLEUROTUS.) RUTHÆ.* B. & Br
on wood. Great Oak, 1850



A

M.C.C.


AGARICUS (PLEUROTUS) LIGNATILIS Fries.
on hollow stumps, Kew Gardens.

B

M.C.C.

AGARICUS (PLEUROTUS) CIRCINATUS Fries.
on rotting Birch stump.

100-1000





pl 179


"pl *paucolencus* pl 179
with brown pileus & gills m
be a case of false colour
ing by Ruth Berkeley, as
the species is quite white
like pl 275.a.

**R.E.B.**

AGARICUS (PLEUROTUS.) PANTOLEUCUS. Fries.
Ulen out of a tree. Coed Coch 1881.









121




W.P.


AGARICUS (PLEUROTUS) PANTOLEUCUS Fries.
on willow.





M.C.C

AGARICUS (PLEUROTUS) MUTILUS. Fries.
on grassy ground. Penzance.











M.C.C.

x 400

odour strong.

AGARICUS PLEUROTUS, OSTREATUS. Fries.
on logs. Kew Gardens. July 1882.










AGARICUS (PLEUROTUS.) OSTREATUS. Fries.
 var. EUOSMUS. Berk.
 on logs. Queen's Cottage, Kew.








$\frac{2}{3}$

R.E.B.

AGARICUS (PLEUROTUS) REVOLUTUS Kichx.
on trunk. Penzance.











AGARICUS (PLEUROTUS) SALIGNUS Pers.
on wooden trunk.






pl 291


"*pl. acerinus* pl 291. I
have my doubts about
this plate being the true
species"




W.G.S.

AGARICUS (PLEUROTUS) ACERINUS Fries.
on Stump. Walthamstow.










M.C.C.

AGARICUS (PLEUROTUS) PETALOIDES Bull.
on stumps and on the ground


A





B


H.G.B.

AGARICUS (PLEUROTUS) SEROTINUS Schr.
on stumps No. 1872










W.P.



H.G.B.



M.F.B.



x5

B




B

M.C.C.


AGARICUS (PLEUROTUS) MITIS Pe s.
on trunks &c. B, variety of the same.








W.G.S



X2


AGARICUS (PLEUROTUS) GADINOIDES. Smith.
on tree fern stems.




AGARICUS (PLEUROTUS) LIMPIDUS Fries.
on old ash trunk. Dartford.





M.C.C.



AGARICUS (PLEUROTUS) RENIFORMIS. Fries.
Bosnyk Garden. Edinburgh 1880.








W.P.

AGARICUS (PLEUROTUS) LAURO-CERASI B. & Br
on stems of cherry laurel. Coed Coch.




H.G.B.


AGARICUS (PLEUROTUS) TREMULUS Schff.
Rotherwas wood. 1872.




H.G.B.

AGARICUS (PLEUROTUS) ACEROSUS Fr.
on the ground. Aconbury wood. 1874.










A


AGARICUS (PLEUROTUS) PORRIGENS Fries.
in Fir woods.




B

M. J. B.


AGARICUS (PLEUROTUS) SEPTICUS Fries.
on twigs, chips, and branches.





M.C.C.


AGARICUS (PLEUROTUS) MASTRUCATUS Frös.
on old Birch trunk. Epping Forest. 1880.







W.G.S.

dry forest.

AGARICUS (PLEUROTUS) ATRO-OCERULEUS Frös.
on old Birch trunk. Epping Forest.














M.F.B.


AGARICUS (PLEUROTUS) LEIGHTONI Berk
on wooden rails near Shrewsbury.




M.C.C.

AGARICUS (PLEUROTUS) ALGIDUS Fr.
on rotten wood.










AGARICUS (PLEUROTUS.) FLUXILIS Fries.
on sawdust. Glamis.




M.C.C.


AGARICUS (PLEUROTUS.) CYPHELLÆFORMIS. B. & Br.
on herbaceous stems. Dinmore.




M.F.B.

AGARICUS (PLEUROTUS.) APPLICATUS Batsch.
on rotten trunks.








A

X3



AGARICUS (PLEUROTUS.) HOBSONI. Berk.—on Larch.

B

X3



AGARICUS (PLEUROTUS.) STRIATULUS Pers.—on trunks.

C

X3



AGARICUS (PLEUROTUS.) HYPNOPHILUS. Berk.—on moss, grass &c.


D

X5




AGARICUS (PLEUROTUS.) CHIONEUS Pers.—on leaves &c.









QK Cooke, Mordecai Cubitt
607 Illustrations of British
C67 Fungi
v.2

BioMed

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

